

OsteoSys to prevent Osteoporosis

Preventing osteoporosis and bone fractures with our bone densitometer

OsteoSys, a brand specialized in bone density diagnosis equipment, produces various products which can diagnose osteoporosis easily and accurately to help humanity enjoy healthy lives. If you have accurate diagnosis and prescription through bone density equipment of OsteoSys, you can enjoy healthy and happy life by avoiding risk of osteoporosis.

Headquarters

9F, 903 JnK Digital Tower, 111 Digital-ro 26, Guro-gu, Seoul, Korea
Tel. +82.2.6124.5900 Fax. +82.2.6124.5958
E-mail. info@osteosys.com
www.osteosys.com

China office

39C, Shangshi Building, NO. 18 North Caoxi Rd, Shanghai, China 200030
Tel. +86.21.6427.5873 Fax. +86.21.6427.5863
E-mail. info@osteosys.com
www.osteosyschina.cn

Global sales

130 sales networks in 95 countries




OsteoSys

OsteoSys Co., Ltd.
9F, 903 JnK Digital Tower, 111 Digital-ro 26, Guro-gu, Seoul, Korea
Tel. +82.2.6124.5900 Fax. +82.2.6124.5958
www.osteosys.com



EXA-3000

better products for better life



The multi-site pDXA bone densitometer



OsteoSys

Peripheral Dual-energy X-ray Absorptiometry (pDXA)

Easy to measure multi-site scan with quick scanning speed

EXA-3000 is especially designed for scanning forearm and calcaneus of patient by DXA (Dual energy X-ray Absorptiometry) technology. It is fastest BMD (Bone Mineral Densitometry) in the world. The lifter, optional item it's specifically designed for EXA-3000 makes easy to lift up and down and it allows a patient to be more comfortable.

Features

- Quick scanning speed : 5Sec.
- Multi-site scan : Forearm, Calcaneus
- Precise measurement with DXA technology
- Easy operation
- Most comfortable design
- Low radiation
- Reliable result
- Trend report




Technical specifications

- pDXA (Peripheral Dual energy X-ray Absorptiometry)
- Cone beam
- Scan site : Forearm, Calcaneus
- Scan time : Forearm - 5 Sec.
Calcaneus - 5 Sec.
- Reproducibility : $\leq 1.0\%$ C.V.
- Measured parameter : T-score, Z-score, BMD, BMC, Ratio of T-score and Z-score
- Pediatrics / Trend report / DICOM & PACS / GDP (Growth Diagnosis Program) * Optional
- QC check (Daily QC phantom)
- Dimension : 410 × 670 × 373 mm
- Weight : 34.5 kg
- Power consumption : 100~240VAC, 50~60Hz
- Lifter (Optional)
 - Dimension : 654 × 480 × 88 mm
 - Weight : 36 kg



Result report



Forearm & Calcaneus report



Lifter (Optional)



Forearm



Calcaneus

